REFERENCES:-

Aliyu H.N., and sani U (2001) Synthesis, Characterization of Schiff bases derived from 2-hydroxy-1-naphthaldehyde and some aliphatic diamines and their antibacterial and antifungal activities, *International Journal of Pharmaceutical and Applied Sciences* ,**1(3)**,20-24.

Babu., Sudhakar., Sreenivasulu R., Sreeramulu J and Shantha K (2004) Synthesize a new Schiff base of orthovanilline –tris (hydroxymethyl) mehtyl amine, *Journal of Electrochemical Society of India,* **53(1)**, 30-32.

Bairagi S., Bhosle A., and Deodhar M.N (2009) Design, synthesis and evaluation of Schiff's bases of 4-chloro-3-coumarin aldehyde as antimicrobial agents. *E-Journal of Chemistry*,**6(3)**,759-762.

Deshpande V.G., Shah S., Deshpande M.M., Habib S.I., and Kulkarni P.A (2013) Synthesis & antimicrobial Evaluation of some heterocyclic Schiff bases & metal complexes, *Asian Journal of biochemical and Pharmaceutical research*,**3(1)**2231-2560.

Dey D. K., Dey S. P., Elmali A., and Elerman Y (2001) Synthesis of new Schiff bases of 2-amino-1-benzyl amine and 3-methoxy salicylaldehyde in ethanol, *Journal of Molecular Structure* **562(1-3)**, 177-184.

Geronikaki A., Litina H., Dimitra and Maria A (2003) Synthesis and identify several thiazolyl/thiazolinyl/benzothiazolyl Schiff bases. *Thessaloniki,Greece.Farmaco*,**58(7)**,489-495.

Gheorghe R., and Andrei M (2001) New Schiff bases from ortho-hydroxyl aldehydes. *Bulletin of the Chemists and technologists of Macedonia*.,20(2)131-136.

Iqbal J., Nida I., Muhammad I (2009) Synthesis, characterization and antibacterial studies of some metal complexes of a Schiff base derived from benzaldehyde and sulfonamide., *Journal of Scientific research.*,**39(1).**

Jaybalakrishnan., Chinnaswamy., and karuppanan N (2002) Schiff base by condensing salicylaldehyde or o-vanillin with o-amino phenol and its ruthenium complexes. *Transition metal Chemistry* **27(1)**,75-79.

Jayshree., Jerald., Justin., and Venugopal K.N (2004) Synthesis new Schiff base by thiazole comp. with different aldehydes, *Oriental journal of chemistry*,20(1),123-126.

Joshi S., Pawar V., and Uma V (2010) Antibacterial properties of CO(II),Zn(II),Ni(II) and Mn(II) complexes of derived from Schiff base of trimethoprim, *Der Pharma Chemica*,**2(5)**,329-336.

Joshi S., Pawar V., and Uma V (2011) Synthesis Characterization and biological studies of Schiff base & metal complexes CO(II),Zn(II),Ni(II) and Mn(II) derived from Amoxicillin trihydrate with various aldehydes, *International journal of pharma and Bio Sciences*,**2(1)**,240-250.

Kam Li., Henri W., Tagenine., Jeeworth., Bhowon M (2001) Synthesis Schiff base derivative from 2,3-diaminopyridine and O-vanillin and its metal complexes, *Indian Journal of Chemistry*, **40A (9)**, 999-1003.

Khan S A., Siddiqui A A., and Bhatt, S A (2002) Synthesis Schiff base of isoniazid, *Oriental Journal of Chemistry*, **18(1)**, 163-164.

Khan, S A., Siddiqui A A., and Bhatt, S A (2002) Synthesis Schiff base of isatin, *Asian Journal of Chemistry*, **14(2)**, 1117-1118.

Khosa M ., Chatha S., Nisar M (2011) Synthesis Spectral Investigation (1H,13C) of new (N,O and S based) Schiff Bases and Evaluation of their Antimicrobial Activities.*J.Chem.Soc.Pak.*,**33(3),**421- 425.

Kulkarni P A.,Habib S I,Deshpande M.M.,and Saraf (2012) Spectral and biological study of some Schiff bases and their Lanthanide complexes.*J.Basic.Appl.Chem.*,**2(2)**12-15.

Mashaly M.M., Zinab H., Elwahab A., and Faheim A.A (2004) Preparation, spectral characterization and antimicrobial activities of Schiff base complexes derived from 4-amino antipyrine. Mixed ligand complexes with 2-aminoantipyrine,8-hydroxyquinoline and oxalic acid and pyrolytical products, *Journal of Chinese Chemical Society*,**51**,901-915.

Mittal P.,and Uma V (2009) Biologically active Complexes CO(II),Ni(II) and Zn(II) of Schiff base derived from vinyl aniline and heterocyclic aldehyde, *International journal of chem. tech research*,**1(2)**,225-232.

Mobinkhaledi A., Forughifar N., Kalhor M (2010) An efficient synthesis of Schiff bases containing benzimidazole moiety catalyzed by transition metal nitrates, *Turk J Chem*,**34**,367-373.

Mohan S., and Saravanan J (2002) Synthesize thirty new Schiff bases with 2-amino thiazole and different aldehydes, *Indian Journal of Heterocyclic Chemistry* **14(3-4)**,1331-1334.

Naik B D and Desai K.R (2004) Synthesize heterocyclic Schiff bases and then treating the compound with chloroacetaldehyde, *Asian Journal of Chemistry* **16(3-4)**, 1749-1752.

Naz N and Iqbal M (2009) Synthesis, Spectroscopic and biological studies of transition metal complexes of novel Schiff bases derived from Amoxicillin and sugars,*J.Chem.soc.Pak.*,**31(3)**.

Ndahi N.P and Nasiru Y.P (2012) Complexes of CO(II),Ni(II) and Zn(II) with Schiff base derived from 4-anisaldehyde,*International journal of pharmaceutical Sciences and research*,**3**,12.

Paneerselvam., Perumal., Nair., Rajasree R., Vijayalakshmi., Gudaparthi., Subramanian., Ekambaram H and Sridhar S K (2005) Synthesize a series of Schiff bases of 4-(4-amino phenyl)morpholine and screened them for antibacterial and antifungal activities. *European Journal of Medicinal Chemistry*, **40(2)**, 225-229.

Patil S., Jhadhav S.D., Patil U.P (2012) Natural acid catalyzed synthesis of Schiff base under solvent free condition :As a green approach, Archives of applied science research,**4(2)**,1074-1078.

Prakash A., Adhikari D (2011) Application of Schiff bases and their metal complexes, *International journal of chem. tech research*,**3(4)**,1891-1896.

Saxena A (2012) Synthesis and Characterization of Bidentate Schiff Base derived From Furfuraldehyde and Its Transition metal Complexes. *Oriental journal of chemistry*,**28(2)** 1067-1070.

Sheeja K.L.P., Lovely M., and Isac S (2012) The DNA cleavage and antimicrobial studies of Cu(II), CO(II),Ni(II) and Zn(II) complexes of 4-pyridine carboxaldehyde and tryptophan, *Journal of Chemical and pharmaceutical research*,**4(11)**:4762-4769.

Shetty K.S., Manjunatha S., Vanitha; Mohan S and Ramiah (2004) Synthesize and evaluate antibacterial activity of thirty Schiff bases synthesize from thiophene base and different aldehydes, *Asian Journal of Chemistry* (2004), **16(2)**, 623-627.

Shijun; Wang R., Komatsu K., Bonaze K P., Zyrianov Y., McKenna C E., Cspike C., Tokes Z A., Lien., *Eric J* (2002) Synthesize Schiff bases of hydroxy semicarbazide, *Journal of Medicinal Chemistry* **45(2)**, 410-419.

Singh G., Singh P.H., Ashutosh., Sen A K., Singh K., Dubey S N., Handa., Ram N and Choi J (2002) Synthesize Schiff bases by condensation from triazine compound and different aldehydes, *Synthesis and Reactivity in Inorganic and Metal-Organic Chemistry*, **32(1)**, 171-187.

Singh, P.H., Ashutosh., Baweja., Singh R.K., Singh k., Handa., Ram N (2003) Synthesize new Schiff bases with nucleophillic addition of different aldehydes and its bivalent metal complexes, *Acta ciencia indica, Chemistry* ,**29(4)**,225-264.

Sun, Ming; Duan, Yuc-Qin; Wan, Jin-Ling; Liu, Xiao-Lan; Miao., (2001) Synthesize new Schiff bases from O-vanilline and dl-amino acids. *Tianjin, People's Republic of China.*, **22(7)**, 1160-1162.

Suresh M.S., and Prakash V (2010) Preparation and Characterization of Cr(III),CO(II),Zn(II),Ni(II) and Cd(II) chelates of Schiff base derived from Vanillin and 4-amino antipyrine, *International Journal of the Physical Sciences*. **5(14)**,2203-2211.

Suresh M.S., and Prakash V (2011) Preparation and Characterization and antibacterial studies of chelates of Schiff base derived from Vanillin and 4-amino antipyrine, *International of Current pharmaceutical Research*,**3(2)**068-07.

Thorat B.R., Jhadhav R., Mustapha M., Lele S., Khanderkar D., Kamat P., Sawant S., Arakh D., Atram R.G and Yamgar R (2011) Synthesis and Fluorescence properties of Schiff base of 4-hydroxy-3-methoxy-5-nitrobenzaldehyde,*Journal of chemical and pharmaceutical research*,**3(6)**1045-1054.

Vaghasiya Y., Nair R., Soni M., Baluja S and Chanda S (2004) Synthesize some Schiff bases using vanilline with 2,4-dimethyl aniline and sulphamethoxazole, *Journal of the Serbian Chemical Society* , **69(12)**, 991-998.

Venugopala Jayshree, Jerald, and justin (2004) synthesis new Schiff base by thiazole comp.with different aldehydes, *Oriental journal of chemistry*, **16(1)**,407- 411.

Vicini P., Geronikaki A., Izcerti M., Busenora B., Poni G., Cabras C A., LaColla P.,(2003) Synthesize three new series of benzo[d]isothiazole and thiazole Schiff bases. *Bioorganic and Medicinal Chemistry*, **11(22)**, 4785-4789.

Wang Y G., Lu B X., Ye W F., Zhao X Y and Yang J (2002) Synthesize twelve new Schiff bases containing 5-amino-1H-1,2,3,4-tetrazolyl moiety, *Youji Huaxue* ,**22(11)**, 862-866.

Zakrzewski A., Janota H and Sadowski C (2003) Synthesize a series of substituted N-benzylidiene-4-(4,5-diphenyl-1H-imidazol-2-yl)anilines,*Pestycydy(Warsaw)* (2003) **1(4)**, 43-51.

Zhu L H., Chen N Y., Li H m., Song F H and Zhu X D (2003) synthesize Schiff bases of 2-amino-5-mercapto-1,3,4-thiadiazile with salicylaldehyde or vanillin and their molybdenum complexes, *Huazhong Shifan Daxue Xuebao Zirankexueban* , **37(4)**, 499-502.